abcam

ab108418

Anti-FES antibody [EPR3230(2)]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR3230(2)
Purification technique	Affinity purification Protein A
Concentration	1.191 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

WB

Tested

Species	Human
Dilution info	1/1000 - 1/10000
Notes	-

IHC-P

Not recommended

Species	Human
Dilution info	-
Notes	-

ICC/IF

Tested

Species	Human
Dilution info	1/100 - 1/250
Notes	-

Flow Cyt (Intra)

Tested

Species	Human
Dilution info	1/100
Notes	-

Target data

See full target information FES

Function Tyrosine-protein kinase that acts downstream of cell surface receptors and plays a role in the regulation of the actin cytoskeleton, microtubule assembly, cell attachment and cell spreading. Plays a role in FCER1 (high affinity immunoglobulin epsilon receptor)-mediated signaling in mast cells. Acts down-stream of the activated FCER1 receptor and the mast/stem cell growth factor receptor KIT. Plays a role in the regulation of mast cell degranulation. Plays a role in the regulation of cell differentiation and promotes neurite outgrowth in response to NGF signaling. Plays a role in cell scattering and cell migration in response to HGF-induced activation of EZR. Phosphorylates BCR and down-regulates BCR kinase activity. Phosphorylates HCLS1/HS1, PECAM1, STAT3 and TRIM28.

Storage

Shipped at conditions Conditional Ambient

Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Storage information	Stable for 12 months at -20°C

Notes

Species reactivity
Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	The FES protein also known as Feline Sarcoma Oncogene is a cytoplasmic tyrosine kinase with a molecular mass of approximately 93 kDa. It plays a role in regulating processes like cell growth differentiation and survival. FES is mainly expressed in hematopoietic cells endothelial cells and some neural tissues. Its structure includes SH2 and SH3 domains allowing the protein to interact with other cellular components.
Biological function summary	FES protein is involved in signal transduction pathways that control various physiological functions. It does not form part of any giant complexes rather it serves as a relay point for signals in cellular contexts. The kinase activity of FES is important for ensuring cellular processes such as actin remodeling an important process for cell movement and shape changes.
Pathways	The FES protein participates in the RAS and MAPK signaling pathways. These pathways are important for transmitting extracellular signals that govern cell fate decisions. FES interacts with proteins such as GRB2 and SOS1 in these pathways to modulate downstream effects and enable effective response to cellular stimuli.

Associated diseases and disorders	Aberrant FES signaling has links to cancer and inflammatory disorders. Dysregulation of FES can contribute to several types of cancer including leukemia due to its effect on cell proliferation and survival. In inflammation FES interaction with proteins like STAT3 may promote pathological inflammatory responses therefore implicating FES in diseases such as rheumatoid arthritis.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.


3 product images



Immunocytochemistry/ Immunofluorescence - Anti-FES antibody [EPR3230(2)] (ab108418)

FES Immunocytochemistry/ Immunofluorescence staining using rabbit Anti-FES antibody


ab108418, at a 1/100 dilution, staining FES in HeLa (Human epithelial cell line from cervix adenocarcinoma) cells by Immunofluorescence.



Flow Cytometry (Intracellular) - Anti-FES antibody [EPR3230(2)] (ab108418)

FES Flow Cytometry (Intracellular) staining using rabbit Anti-FES antibody

Flow Cytometry analysis of HeLa (Human cervix adenocarcinoma epithelial cell) cells labeling FES with purified ab108418 at 1/100 dilution (10 µg/mL) (Red). Cells were fixed with 4% Paraformaldehyde and permeabilised with 90% Methanol. A Goat anti rabbit IgG (Alexa Fluor® 488, ab150077) secondary antibody was used at 1/2000. Isotype control - Rabbit monoclonal IgG (Black). Unlabeled control - Cells without incubation with primary antibody and secondary antibody (Blue).



Western blot - Anti-FES antibody [EPR3230(2)] (ab108418)

All lanes:
Western blot - Anti-FES antibody [EPR3230(2)] (ab108418) at 1/1000 dilution

Lane 1:
TF-1 lysate at 10 µg

Lane 2:
U937 lysate at 10 µg

Lane 3:
Human spleen lysate at 10 µg

Predicted band size: 93 kDa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.