abcam

**ab134361**

# Biotin Anti-CD90 / Thy1 antibody [5E10]

Anti-CD90 / Thy1 antibody [5E10] conjugated to Biotin - suitable for flow cytometry, and reacts with human samples. Clone [5E10] is a mouse monoclonal antibody.

## Key facts

| | |
|---|---|
| **Isotype** | IgG1 |
| **Host species** | Mouse |
| **Conjugation** | Biotin |
| **Storage buffer** | pH: 7.2 Preservative: 0.09% Sodium azide Constituents: PBS, 0.1% Gelatin |
| **Form** | Liquid |
| **Clonality** | Monoclonal |
| **Immunogen** | Cell preparation containing THY1 protein. The exact immunogen used to generate this antibody is proprietary information. Database link P04216 |
| **Clone number** | 5E10 |
| **Purification technique** | Affinity purification Protein G |
| **Light chain type** | kappa |
| **Concentration** | 0.5 mg/mL The concentration of this product may be batch-dependent<br>Batch concentration finder → |

## Reactivity data

## Flow Cyt

**Tested**

| | |
|---|---|
| **Species** | Human |

| | |
|---|---|
| **Dilution info** | 1 µg for $10^5$-$10^8$ Cells |
| **Notes** | (In a final volume of 100 µl.)<br>ab18434 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody. |

## Target data

See full target information THY1

| | |
|---|---|
| **Function** | May play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the brain. |

## Storage

| | |
|---|---|
| **Shipped at conditions** | Blue Ice |
| **Appropriate short-term storage duration** | 1-2 weeks |
| **Appropriate short-term storage conditions** | +4°C |
| **Appropriate long-term storage conditions** | +4°C |
| **Storage information** | Do Not Freeze, Store in the dark |

## Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

| | |
|---|---|
| **Activity summary** | CD90 also known as Thy1 is a glycoprotein with a molecular mass of approximately 25-37 kDa. It is highly conserved across species and found on the surface of various cell types including fibroblasts neurons and endothelial cells. CD90 is expressed in these cells in tissues such as the brain thymus and lungs. Researchers use anti-CD90 antibodies for detection often in combination with CD90 FITC in immunofluorescence assays. CD90 serves as a useful cell marker particularly in identifying mesenchymal stem cells (MSCs). |
| **Biological function summary** | CD90 plays a role in cell-cell and cell-matrix interactions contributing to cellular adhesion migration and signal transduction. It functions as part of a complex involving integrins which mediate its interaction with the extracellular matrix. This protein also influences T-cell activation reflecting its importance in immune response regulation. Its presence aids in modulating response to injury and promoting tissue repair due to its association with stem and progenitor cells. |

| | |
|---|---|
| **Pathways** | CD90 engagement affects focal adhesion and MAPK signaling pathways. It interacts with integrins like αvβ3 and α5β1 influencing cell movement and proliferation processes. CD90 involvement in these pathways allows it to regulate responses important for cell survival and communication within various tissues. These interactions highlight the protein's role in maintaining cellular homeostasis and regulating physiological processes. |
| **Associated diseases and disorders** | CD90 has associations with fibrosis and cancer. In fibrotic conditions CD90 expression affects fibroblast activity influencing tissue scarring in organs such as the liver and lungs. In cancer CD90 modifies tumor progression and metastasis by impacting cell adhesion and migration with connections to proteins like TGF-beta which further drive these processes. Understanding CD90 in disease contexts facilitates the development of therapeutic strategies aimed at modulating its activity. |

## Product promise

**Tested**

We have tested this species and application combination and it works. It is covered by our product promise.

**Expected**

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

**Predicted**

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

**Not recommended**


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

## 1 product image




# Flow Cytometry - Biotin Anti-CD90 / Thy1 antibody [5E10] (ab134361)

CD90 / Thy1 Flow Cytometry staining using mouse Anti-CD90 / Thy1 antibody

Flow cytometry analysis of Human erythroleukemia (HEL) cells with 0.5 µg of Mouse IgG1 kappa Isotype Control Biotin (open histogram) or 0.5 µg ab134361 (filled histogram) followed by Streptavidin PE. Total viable cells were used for analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.