abcam

ab180161

Anti-C1orf69/IBA57 antibody [EPR11758(2)]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR11758(2)
Purification technique	Affinity purification Protein A
Concentration	0.086 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

IP

Not recommended

Species	Human
Dilution info	-
Notes	-

WB

Tested

Species	Human
Dilution info	1/1000 - 1/5000
Notes	-

IHC-P

Not recommended

Species	Human
Dilution info	-
Notes	-

ICC/IF

Not recommended

Species	Human
Dilution info	-
Notes	-

Flow Cyt (Intra)

Tested

Species	Human
Dilution info	1/10 - 1/100
Notes	ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.

Target data

See full target information IBA57

Function	Mitochondrial protein involved in the maturation of mitochondrial [4Fe-4S]-proteins in the late stage of the iron-sulfur cluster assembly pathway (PubMed:22323289, PubMed:23462291). Operates in cooperation with ISCA2 in the

maturation of [4Fe-4S] proteins (PubMed:30269484). Involved in the maturation of mitochondrial 2Fe-2S proteins in the late stage of the iron-sulfur cluster assembly pathway.

Storage

Shipped at conditions	Conditional Ambient
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

Species reactivity
Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended

We do not recommend this combination. It is not covered by our product promise.


We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

---


2 product images



Flow Cytometry (Intracellular) - Anti-C1orf69/IBA57 antibody [EPR11758(2)] (ab180161)

C1orf69/IBA57 Flow Cytometry (Intracellular) staining using rabbit Anti-C1orf69/IBA57 antibody

Intracellular flow cytometric analysis of permeabilized Raji cells labelling C1orf69/IBA57 using ab180161 at a 1/10 dilution (red) or a rabbit IgG (negative) (green).



Western blot - Anti-C1orf69/IBA57 antibody [EPR11758(2)] (ab180161)

C1orf69/IBA57 Western blot staining using rabbit Anti-C1orf69/IBA57 antibody

All lanes:
Western blot - Anti-C1orf69/IBA57 antibody [EPR11758(2)] (ab180161) at 1/1000 dilution

Lane 1:
Human fetal heart lysate at 10 µg

Lane 2:
Raji cell lysate at 10 µg

Lane 3:
A431 cell lysate at 10 µg

Lane 4:
Caco 2 cell lysate at 10 µg

Lane 5:
293T cell lysate at 10 µg

Lane 6:
HepG2 cell lysate at 10 µg

Lane 7:
Human fetal liver lysate at 10 µg

Developed using the ECL technique.

Predicted band size: 38 kDa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.