abcam

ab181374

Anti-Connexin 32 / GJB1 antibody [EPR8036(2)]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR8036(2)
Purification technique	Affinity purification Protein A
Concentration	0.437 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

IHC-P

Tested

Species	Human
Dilution info	1/100 - 1/250
Notes	-

IP

Not recommended

Species	Human
Dilution info	-
Notes	-

Flow Cyt

Tested

Species	Human
Dilution info	1/10 - 1/100
Notes	ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.

WB

Tested

Species	Human
Dilution info	1/1000 - 1/5000
Notes	-

ICC/IF

Not recommended

Species	Human
Dilution info	-
Notes	-

Target data

See full target information GJB1

Function	One gap junction consists of a cluster of closely packed pairs of transmembrane channels, the connexons, through which materials of low MW diffuse from one cell to a neighboring cell.

Storage

Shipped at conditions	Conditional Ambient
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

Species reactivity
Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	Connexin 32 also known as GJB1 is a gap junction protein with a molecular mass of approximately 32 kDa. This protein facilitates direct intercellular communication by forming gap junction channels that allow ions and small molecules to pass between adjacent cells. Connexin 32 is expressed in various tissues including liver pancreas and many types of epithelial cells. Its expression ensures cells can synchronize their activities important for maintaining tissue homeostasis.

Biological function summary	Connexin 32 plays a significant role in maintaining cellular communication networks. This protein forms hexameric complexes called connexons which dock with connexons of adjacent cells to create functional gap junction channels. These channels are essential in processes such as maintaining homeostasis cell differentiation and synchronized contraction of tissues like cardiac muscle. The structural formation allows direct transfer of metabolites and signaling molecules highlighting its importance in multicellular organism function.
Pathways	Connexin 32 actively contributes to cellular communication and metabolic coordination. It participates in the phosphoinositide 3-kinase (PI3-K) pathway and the ERK/MAPK signaling pathway which are important for cell growth proliferation and apoptosis. Connexin 32 interacts with proteins like Connexin 43 with both proteins playing roles in channel assembly and intracellular signaling processes that influence cellular responses to external stimuli.
Associated diseases and disorders	Connexin 32's dysfunction aligns with specific neuropathies. Mutations in the GJB1 gene often lead to X-linked Charcot-Marie-Tooth disease a disorder affecting peripheral nerves. This disease involves degeneration of nerve fibers disrupting muscle function and sensation and connects with proteins that share functional pathways like PMP22. Additionally Connexin 32 has implications in liver diseases where its reduced expression correlates with disrupted hepatocyte communication affecting liver function and regeneration.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.


3 product images



Flow Cytometry - Anti-Connexin 32 / GJB1 antibody [EPR8036(2)] (ab181374)

Connexin 32 / GJB1 Flow Cytometry staining using rabbit Anti-Connexin 32 / GJB1 antibody


Flow cytometric analysis of MCF-7 cells labeling Connexin 32 / GJB1 with ab181374 at 1/10 dilution (red) compared to a rabbit IgG negative control (green).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Connexin 32 / GJB1 antibody [EPR8036(2)] (ab181374)

Connexin 32 / GJB1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining using rabbit Anti-Connexin 32 / GJB1 antibody

Immunohistochemical analysis of paraffin-embedded Human kidney tissue labeling Connexin 32 / GJB1 with ab181374 at 1/100 dilution.
Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Western blot - Anti-Connexin 32 / GJB1 antibody [EPR8036(2)] (ab181374)

All lanes:
Western blot - Anti-Connexin 32 / GJB1 antibody [EPR8036(2)] (ab181374) at 1/1000 dilution

Lane 1:
Human skeletal muscle lysate at 10 µg

Lane 2:
Fetal liver tissue lysate at 10 µg

Lane 3:
MCF-7 lysate at 10 µg

Lane 4:
Human stomach lysate at 10 µg

Predicted band size: 32 kDa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.