abcam

ab201337

Anti-CD1a antibody [C1A/711]

Key facts

Isotype	IgG1
Host species	Mouse
Storage buffer	pH: 7.2 - 7.4 Preservative: 0.05% Sodium azide Constituents: PBS, 0.05% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	Recombinant Full Length Protein corresponding to Human CD1A. Database link P06126
Clone number	C1A/711
Purification technique	Affinity purification Protein A/G
Light chain type	kappa
Concentration	0.2 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →
Purification notes	ab201337 is purified from Bioreactor Concentrate.

Reactivity data

IHC-P

Tested

Species	Human
Dilution info	1-2 µg/mL
Notes	For 30 min at RT.

	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

IP

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

Flow Cyt

Expected

Species	Human
Dilution info	-
Notes	ab170190 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

WB

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

ICC/IF

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

IHC-Fr

Expected

Species	Human
Dilution info	-
Notes	For 30 min at RT.

Target data

See full target information CD1A

Function	Antigen-presenting protein that binds self and non-self lipid and glycolipid antigens and presents them to T-cell receptors on natural killer T-cells.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	CD1a also known as T6 antigen or CD1 is a protein with an estimated molecular mass of 37 kDa. It is expressed mainly on the surface of Langerhans cells in the skin and dendritic cells in the thymus. CD1a belongs to the CD1 family which presents lipid antigens to T cells. The protein is an important marker in immunophenotyping of these dendritic cells making it useful in flow cytometry applications.
Biological function summary	CD1a participates in the immune system by presenting lipid and glycolipid antigens to T lymphocytes including natural killer T (NKT) cells. It forms a complex with β2-microglobulin which is essential for its proper function and antigen presentation. CD1a expression helps differentiate between types of dendritic cells with CD1a-positive cells often engaging in specific responses to microbial lipid antigens.

Pathways	CD1a plays a significant role in the antigen presentation pathway particularly in lipid antigen presentation to T cells. This is important for initiating immune responses. It interacts with related proteins such as CD1b and CD1c which also present lipid antigens. CD1a has implications in innate and adaptive immunity and can influence pathways involved in microbial recognition and elimination.
Associated diseases and disorders	CD1a is associated with certain skin conditions like Langerhans Cell Histiocytosis and psoriasis. It is involved in the pathogenesis of these diseases by affecting immune responses in the skin. In Langerhans Cell Histiocytosis CD1a-positive cells accumulate abnormally. Additionally CD1a is often studied alongside related proteins like CD207 (Langerin) to understand these conditions better.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CD1a antibody [C1A/711] (ab201337)

CD1a Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining using mouse Anti-CD1a antibody

Immunohistochemical analysis of formalin-fixed, paraffin-embedded Human skin tissue labeling CD1a with ab201337 at 1 µg/ml.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.