abcam

ab227837

Anti-IL-21 antibody [EPR22618-28]

Recombinant | RabMAb | 20ul selling size

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR22618-28
Purification technique	Affinity purification Protein A
Concentration	0.505 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

Flow Cyt (Intra)

Tested

Species	Transfected cell line
Dilution info	1/500
Notes	-

Species	Mouse

Dilution info	1/500
Notes	-

Not recommended

Species	Rat, Human
Dilution info	-
Notes	-

WB

Not recommended

Species	Rat, Mouse, Human, Transfected cell line
Dilution info	-
Notes	-

IHC-P

Not recommended

Species	Human, Mouse, Rat, Transfected cell line
Dilution info	-
Notes	-

Target data

See full target information Il21

Function	Cytokine with immunoregulatory activity. May promote the transition between innate and adaptive immunity. Induces the production of IgG(1) and IgG(3) in B-cells (PubMed:15100251). Implicated in the generation and maintenance of T follicular helper (Tfh) cells and the formation of germinal-centers. Together with IL6, control the early generation of Tfh cells and are critical for an effective antibody response to acute viral infection (PubMed:23045607). May play a role in proliferation and maturation of natural killer (NK) cells in synergy with IL15 (PubMed:11970879). May regulate proliferation of mature B- and T-cells in response to activating stimuli. In synergy with IL15 and IL18 stimulates interferon gamma production in T-cells and NK cells (By similarity). During T-cell mediated immune response may inhibit dendritic cells (DC) activation and maturation (PubMed:12893770).

Storage

Shipped at conditions	Conditional Ambient
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended

We do not recommend this combination. It is not covered by our product promise.


We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

---


2 product images



Flow Cytometry - Anti-IL-21 antibody [EPR22618-28] (ab227837)

IL-21 Flow Cytometry staining of 293T (Human embryonic kidney epithelial cell) transfected with HA tagged IL-21 construct using rabbit Anti-IL-21 antibody

Flow cytometric analysis of 4% paraformaldehyde fixed 90% methanol permeabilized 293T (Human embryonic kidney epithelial cell) transfected with HA tagged IL-21 construct cells labelling Il21 with ab227837 at 1/500 dilution (0.1ug)/ Right (Red) compared with a Rabbit monoclonal IgG (ab172730) / Left isotype control and an unlabelled control (cells without incubation with primary antibody and secondary antibody) (Blue). A Goat anti rabbit IgG (Alexa Fluor® 488, ab150077) at 1/2000 dilution was used as the secondary antibody.



Flow Cytometry (Intracellular) - Anti-IL-21 antibody [EPR22618-28] (ab227837)

IL-21 Flow Cytometry (Intracellular) staining of Th17 polarized Mouse splenocytes were treated with 500ng/ml PMA and 500 ng/ml ionomycin for 1 hours, then add 1ug/ml Brefeldin A for another 4 hours using rabbit Anti-IL-21 antibody

Flow cytometric analysis of 4% paraformaldehyde fixed 90% methanol permeabilized Th17 polarized Mouse splenocytes were treated with 500ng/ml PMA and 500 ng/ml ionomycin for 1 hours, then add 1ug/ml Brefeldin A for another 4 hours cells labelling Il21 with ab227837 at 1/500 dilution (0.1ug)/ Right (Red) compared with a Rabbit monoclonal IgG (ab172730) / Left isotype control and an unlabelled control (cells without incubation with primary antibody and secondary antibody) (Blue). A Goat anti rabbit IgG (Alexa Fluor® 488, ab150077) at 1/2000 dilution was used as the secondary antibody. IL21 is mutual exclusively expressed with IFN gamma (Th1 marker).Cells were provided by an anonymous collaborator.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.