abcam

ab250732

Anti-SYPL1 antibody [EPR14317] - BSA and Azide free

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Constituents: PBS
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Carrier free	Yes
Clone number	EPR14317
Purification technique	Affinity purification Protein A
Concentration	1.053 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

WB

Tested

Species	Human
Dilution info	-

Notes	-

Flow Cyt (Intra)

Tested

Species	Human
Dilution info	-
Notes	-

IHC-P

Tested

Species	Human
Dilution info	-
Notes	-

Target data

See full target information SYPL1

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	+4°C
Storage information	Do Not Freeze

Notes

ab250732 is the carrier-free version of ab184176.

Patented technology

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Conjugation ready
Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with 1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

Compatibility
This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar® is a trademark of Fluidigm Canada Inc.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

5 product images




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-SYPL1 antibody [EPR14317] - BSA and Azide free (ab250732)

SYPL1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining using rabbit Anti-SYPL1 antibody

This data was developed using ab184176, the same antibody clone in a different buffer formulation.
Immunohistochemical analysis of paraffin-embedded Human colon tissue labeling SYPL1 with ab184176 at 1/250 dilution followed by pre-diluted HRP-conjugated secondary antibody and counter-stained with Hematoxylin.

Perform heat mediated antigen retrieval with EDTA buffer pH 9 before commencing with IHC staining protocol.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-SYPL1 antibody [EPR14317] - BSA and Azide free (ab250732)

SYPL1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining using rabbit Anti-SYPL1 antibody

This data was developed using ab184176, the same antibody clone in a different buffer formulation.
Immunohistochemical analysis of paraffin-embedded Human ovarian carcinoma tissue labeling SYPL1 with ab184176 at 1/250 dilution followed by pre-diluted HRP-conjugated secondary antibody and counter-stained with Hematoxylin.


Perform heat mediated antigen retrieval with EDTA buffer pH 9 before commencing with IHC staining protocol.



Flow Cytometry (Intracellular) - Anti-SYPL1 antibody [EPR14317] - BSA and Azide free (ab250732)

SYPL1 Flow Cytometry (Intracellular) staining using rabbit Anti-SYPL1 antibody

This data was developed using ab184176, the same antibody clone in a different buffer formulation.
Intracellular flow cytometric analysis of HepG2 cells (paraformaldehyde-fixed, 2%) labeling SYPL1 with ab184176 at 1/130 dilution (red) or a rabbit IgG isotype control (green), followed by Goat anti rabbit IgG (FITC) secondary at 1/150 dilution.



Western blot - Anti-SYPL1 antibody [EPR14317] - BSA and Azide free (ab250732)

SYPL1 Western blot staining using rabbit Anti-SYPL1 antibody

This data was developed using ab184176, the same antibody clone in a different buffer formulation.
All lanes:
Western blot - Anti-SYPL1 antibody [EPR14317] (ab184176) at 1/1000 dilution


Lane 1:
Human fetal kidney tissue lysate at 20 µg

Lane 2:
Human adipose tissue lysate at 20 µg

Secondary

All lanes:
Anti-Rabbit IgG (HRP), specific to the non-reduced form of IgG at 1/1000 dilution

Predicted band size: 28 kDa



Western blot - Anti-SYPL1 antibody [EPR14317] - BSA and Azide free (ab250732)

This data was developed using ab184176, the same antibody clone in a different buffer formulation.
All lanes:
Western blot - Anti-SYPL1 antibody [EPR14317] (ab184176) at 1/5000 dilution

Lane 1:
Human fetal lung tissue lysate at 20 µg

Lane 2:
Human fetal liver tissue lysate at 20 µg

Secondary

All lanes:
Anti-Rabbit IgG (HRP), specific to the non-reduced form of IgG at 1/1000 dilution

Predicted band size: 28 kDa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.