abcam

ab250818

Anti-HSPA4 antibody [EPR14165] - BSA and Azide free

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Constituents: PBS
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Carrier free	Yes
Clone number	EPR14165
Purification technique	Affinity purification Protein A
Concentration	1.091 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

IP

Tested

Species	Human
Dilution info	-

Notes	-

Predicted

Species	Mouse, Rat
Dilution info	-
Notes	-

WB

Tested

Species	Human
Dilution info	-
Notes	-

Predicted

Species	Mouse, Rat
Dilution info	-
Notes	-

Flow Cyt (Intra)

Tested

Species	Human
Dilution info	-
Notes	-

Predicted

Species	Mouse, Rat
Dilution info	-
Notes	-

Target data

See full target information HSPA4

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	+4°C
Storage information	Do Not Freeze

Notes

ab250818 is the carrier-free version of ab185219.

Patented technology

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Conjugation ready

Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with 1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

Compatibility

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar® is a trademark of Fluidigm Canada Inc.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	HSPA4 also known as Heat Shock Protein Family A Member 4 is a molecular chaperone involved in protein folding and stabilization during stress. This protein belongs to the heat shock protein family and has a molecular weight of approximately 70 kDa. HSPA4 is widely expressed across various tissues including the heart liver and brain. It operates within the cytoplasm and nucleus where it assists in protein homeostasis by preventing aggregation and misfolding of nascent polypeptides.
Biological function summary	HSPA4 plays a role in cellular stress responses and is part of the HSP70 chaperone complex. HSPA4 interacts with co-chaperones and other proteins to facilitate proper protein folding and degradation. It assists in the recovery of cells from thermal and oxidative stress. The protein ensures the stability of essential signal transduction proteins and supports protein quality control systems within the cell.
Pathways	HSPA4 integrates into the cellular stress response and protein degradation pathways. It engages with the ubiquitin-proteasome system aiding in the removal of damaged proteins. HSPA4 interacts with other heat shock proteins such as HSPA1A and HSPA5 coordinating stress response signals and maintaining cellular homeostasis. This involvement in protein maintenance links it to regulatory pathways that address protein misfolding and cellular repair processes.
Associated diseases and disorders	HSPA4 shows connections to neurodegenerative diseases and cancer. Its role in protein homeostasis suggests involvement in Alzheimer's disease as protein misfolding stands as an important pathological feature. In cancer HSPA4 is associated with cell proliferation and survival mechanisms. It interacts with oncogene products potentially contributing to tumor progression. Studies explore HSPA4 as a therapeutic target assessing its potential influence in disease modulation through its interactions with other stress proteins and pathways.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.


3 product images



Flow Cytometry (Intracellular) - Anti-HSPA4 antibody [EPR14165] - BSA and Azide free (ab250818)

HSPA4 Flow Cytometry (Intracellular) staining using rabbit Anti-HSPA4 antibody

This data was developed using ab185219, the same antibody clone in a different buffer formulation.
Intracellular flow cytometric analysis of 2% paraformaldehyde fixed K562 cells labeling HSPA4 with ab185219 at 1/300 dilution (red) compared with a rabbit monoclonal IgG control (green). Goat anti rabbit IgG (FITC) at 1/150 dilution was used as the secondary antibody.




Immunoprecipitation - Anti-HSPA4 antibody [EPR14165] - BSA and Azide free (ab250818)

This data was developed using ab185219, the same antibody clone in a different buffer formulation.
Western blot analysis of immunoprecipitation pellet from K562 cell lysate labeling HSPA4 using ab185219 at a 1/50 dilution. Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated secondary antibody was used at a 1/1000 dilution.

All lanes:
Immunoprecipitation - Anti-HSPA4 antibody [EPR14165] (ab185219)

Predicted band size: 94 kDa



Western blot - Anti-HSPA4 antibody [EPR14165] - BSA and Azide free (ab250818)

HSPA4 Western blot staining using rabbit Anti-HSPA4 antibody

This data was developed using ab185219, the same antibody clone in a different buffer formulation.
All lanes:
Western blot - Anti-HSPA4 antibody [EPR14165] (ab185219) at 1/5000 dilution

Lane 1:
K562 cell lysate at 20 µg

Lane 2:
HepG2 cell lysate at 20 µg

Secondary

All lanes:
Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/1000 dilution

Predicted band size: 94 kDa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.