abcam

ab256591

Anti-CD127 antibody [EPR22835-249] - BSA and Azide free

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	pH: 7.2 - 7.4 Constituents: PBS
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Carrier free	Yes
Clone number	EPR22835-249
Purification technique	Affinity purification Protein A
Concentration	1.042 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

IP

Not recommended

Species	Human
Dilution info	-

Notes	-

Flow Cyt

Tested

Species	Human
Dilution info	-
Notes	-

WB

Not recommended

Species	Human
Dilution info	-
Notes	-

IHC-P

Not recommended

Species	Human
Dilution info	-
Notes	-

ICC/IF

Not recommended

Species	Human
Dilution info	-
Notes	-

Target data

See full target information IL7R

Function	Receptor for interleukin-7. Also acts as a receptor for thymic stromal lymphopoietin (TSLP).

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	+4°C
Storage information	Do Not Freeze

Notes

ab256591 is the carrier-free version of ab255816.

Patented technology

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Conjugation ready

Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with 1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

Compatibility

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar® is a trademark of Fluidigm Canada Inc.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	CD127 also known as IL-7R alpha or IL-7Rα is a protein found on the surface of cells involved in key immune functions. The CD127 protein has an approximate mass of 55-60 kDa. It is a component of the interleukin-7 receptor which also includes the common gamma chain. You can find CD127 expressed on various immune cells like T cells B cells and dendritic cells. As a marker CD127 is an important indicator of T cell maturity and function. Researchers often target CD127 in studies using antibodies in assay formats like ELISA to measure its expression level and function.
Biological function summary	CD127 plays an important role in regulating lymphocyte development and survival. It is part of the IL-7R complex partnering with IL-7 for signal transduction that promotes cell proliferation and survival. This interaction is essential for the development and homeostasis of T cells and B cells. In the absence of proper CD127 signaling lymphocytes may suffer from poor survival impacting overall immune competence. The IL-7-CD127 interaction informs researchers about mechanisms of immune modulation and resilience.
Pathways	CD127 participates in the JAK/STAT signaling pathway which is pivotal for transmitting information from extracellular signals to the cell nucleus influencing gene expression. This pathway plays a vital role in immune cell response. When IL-7 binds to the IL-7R complex on CD127 it initiates a cascade that involves proteins like JAK1 and STAT5. These proteins mediate responses necessary for cell proliferation and differentiation within immune system networks.
Associated diseases and disorders	CD127 has implications in conditions like severe combined immunodeficiency (SCID) and autoimmune diseases. In SCID mutations or defects in CD127 cause impaired T cell development leading to compromised immune function. Additionally CD127 dysregulation can contribute to autoimmune disorders by affecting T regulatory cells creating an imbalance in immune response. Ocrevus a monoclonal antibody therapy used for multiple sclerosis indirectly relates to CD127 by targeting the B cells which rely on IL-7R signaling mechanisms for survival and function. Researchers continue to investigate CD127 to better understand its role in immune-related diseases.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Flow Cytometry - Anti-CD127 antibody [EPR22835-249] - BSA and Azide free (ab256591)

CD127 Flow Cytometry staining using rabbit Anti-CD127 antibody

Flow cytometric analysis of human PBMC (peripheral blood mononuclear cells) cells labeling CD127 with ab255816 at 1/700 dilution (Right) compared with Recombinant Rabbit IgG, monoclonal [EPR25A] - Isotype Control (ab172730) (Left). Goat Anti-Rabbit IgG Fc (Alexa Fluor® 488) preadsorbed (ab150097), at 1/5000 dilution was used as the secondary antibody.
Cells were stained with rabbit IgG (Left) or ab255816 (Right). Then stained with anti-CD3 conjugated to Alexa Fluor® 647.

Gated on viable cells.

Expression of CD127 is observed on CD3 positive cells (PMID: 21355093).

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab255816).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.