abcam

ab275640

FITC Anti-SIGLEC5 antibody [07]

Anti-SIGLEC5 antibody [07] conjugated to FITC - suitable for flow cytometry, and reacts with human samples. Clone [7] is a mouse monoclonal antibody.

Design your panel with our interactive flow cytometry panel builder. Click here.

Key facts

Isotype	IgG1
Host species	Mouse
Conjugation	FITC
Excitation/Emission	Ex: 495nm, Em: 519nm
Storage buffer	Preservative: 0.09% Sodium azide Constituents: 0.5% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	Recombinant Fragment Protein within Human SIGLEC5 aa 1-450. The exact immunogen used to generate this antibody is proprietary information. Database link O15389
Clone number	07
Purification technique	Affinity purification Protein A

Reactivity data

Flow Cyt

Tested

Species	Human
Dilution info	-

Notes	Use at 10 µl/Test

Target data

See full target information SIGLEC5

Function	Putative adhesion molecule that mediates sialic-acid dependent binding to cells. Binds equally to alpha-2,3-linked and alpha-2,6-linked sialic acid. The sialic acid recognition site may be masked by cis interactions with sialic acids on the same cell surface.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	+4°C
Storage information	Do Not Freeze, Store in the dark

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	SIGLEC5 also known as CD170 is a sialic acid-binding Ig-like lectin with a molecular mass of approximately 96 kDa. This protein plays an important role in immune cell signaling by recognizing sialylated glycans on the surface of cells. SIGLEC5 is mainly expressed on immune cells such as neutrophils monocytes and macrophages. It belongs to the lectin family of proteins and can modulate immune responses and communication between cells.
Biological function summary	SIGLEC5 functions by mediating cell-cell interactions and transmitting inhibitory signals that regulate immune responses. It binds to sialic acid-containing glycoproteins which can help modulate the threshold for cell activation by transmitting signals through its immunoreceptor tyrosine-based inhibitory motif (ITIM). SIGLEC5 is not part of a large complex but interacts with other molecules to exert its function in maintaining immune cell balance.
Pathways	SIGLEC5 plays a role in immune signaling pathways by maintaining cell homeostasis. It contributes to the regulation of the immune response by modulating inhibitory signaling pathways. It is associated with proteins like Src family kinases which phosphorylate the ITIM motif to initiate downstream signaling cascades. Additionally its interaction with sialic acids allows modulation of the innate immune response to various stimuli.

Associated diseases and disorders	SIGLEC5 has been linked to autoimmune diseases and infections like bacterial sepsis. In autoimmune conditions the dysregulation of SIGLEC5-associated pathways can lead to improper immune cell activation and tissue damage. In the context of bacterial sepsis SIGLEC5 assists in dampening excessive immune responses and limiting inflammation. SIGLEC5 connects with proteins like DAP12 where aberrations could also influence disease progressions making it a target of interest for potential therapeutic interventions.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Flow Cytometry - FITC Anti-SIGLEC5 antibody [07] (ab275640)

SIGLEC5 Flow Cytometry staining using mouse Anti-SIGLEC5 antibody

Flow cytometric analysis of human whole blood granulocytes labeling SIGLEC5 with ab275640 (Black) compared with isotype control (Grey). The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.