abcam

ab278509

Anti-CD24 antibody [ML5]

Recombinant

Key facts

Isotype	IgG2a
Host species	Mouse
Storage buffer	pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	ML5
Purification technique	Affinity purification Protein A
Light chain type	kappa
Concentration	0.844 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

ICC/IF

Tested

Species	Human
Dilution info	1/50
Notes	-

Not recommended

Species	Mouse, Rat
Dilution info	-
Notes	-

Flow Cyt

Tested

Species	Human
Dilution info	1/1000
Notes	-

Not recommended

Species	Mouse, Rat
Dilution info	-
Notes	-

IHC-P

Not recommended

Species	Human, Mouse, Rat
Dilution info	-
Notes	-

Target data

See full target information CD24

Function	May have a pivotal role in cell differentiation of different cell types. Signaling could be triggered by the binding of a lectin-like ligand to the CD24 carbohydrates, and transduced by the release of second messengers derived from the GPI-anchor. Modulates B-cell activation responses. Promotes AG-dependent proliferation of B-cells, and prevents their terminal differentiation into antibody-forming cells (PubMed:11313396). In association with SIGLEC10 may be involved in the selective suppression of the immune response to danger-associated molecular patterns

(DAMPs) such as HMGB1, HSP70 and HSP90. Plays a role in the control of autoimmunity (By similarity).

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Want a custom formulation?
This antibody clone is manufactured by Abcam. If you require a custom buffer formulation or conjugation for your experiments, please contact orders@abcam.com

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	CD24 also known as heat-stable antigen or CD24A is a glycosylphosphatidylinositol (GPI)-anchored membrane protein with a molecular mass of approximately 30-50 kDa. It is expressed on the surface of many cell types including B cells T cells neutrophils and epithelial cells. CD24 plays a role in cell adhesion and signaling processes impacting immune response and cancer progression. Its expression is often used as a marker in identification and classification procedures such as flow cytometry.

Biological function summary	CD24 functions like a molecular "switch" modulating signals sent between cells. It acts as a ligand for multiple receptors and participates in cellular communication especially influencing the immune system. Part of its biological role involves interaction within cellular complexes impacting immune modulation and inflammatory responses. CD24's location at the interface of cellular microenvironments makes it critical for cellular response adaptation to varied external stimuli.
Pathways	CD24 participates in both immune signaling and cancer-related pathways. It plays a significant role in the suppression of the immune response often interacting with proteins like Siglec-10 in these pathways. CD24's involvement in these pathways contributes to cell survival and proliferation particularly within cancer development. The protein’s interaction within specified signaling pathways allows it to influence downstream targets that regulate gene expression and cellular functions.
Associated diseases and disorders	CD24 has significant connections to cancer and inflammatory diseases. It is highly expressed in various cancers including breast and prostate cancer where it correlates with poor prognosis due to its role in apoptosis evasion and metastasis. CD24 interacts with proteins like HMGB1 and is implicated in inflammatory conditions where it modulates immune cell activity. Extensive research into CD24's involvement in these disorders may lead to targeted therapies including the development of anti-CD24 antibodies for therapeutic interventions.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

2 product images



Immunocytochemistry/ Immunofluorescence - Anti-CD24 antibody [ML5] (ab278509)


CD24 Immunocytochemistry/ Immunofluorescence staining using mouse Anti-CD24 antibody

Immunofluorescent analysis of 4% Paraformaldehyde-fixed, 0.1% Triton X-100 permeabilized MCF7 cells labelling CD24 with ab278509 at 1/50 (18.44 µg/ml) dilution, followed by ab150113 Goat Anti-Mouse IgG H&L (Alexa Fluor® 488) antibody at 1/1000 dilution (Green). ab179513 Anti-beta Tubulin rabbit monoclonal antibody was used to counterstain tubulin at 1/200 dilution, followed by ab150080 Goat Anti-Rabbit IgG H&L (Alexa Fluor® 594) at 1/500 dilution (Red). The nuclear counterstain was DAPI (Blue).
Negative control 1: ab278509 at a 1/50 dilution followed by ab150080 at a 1/200 dilution.

Negative control 2: ab179513 at a 1/200 dilution followed by ab150113 at a 1/1000 dilution.

Confocal image showing membranous staining in MCF7 cell line.

Negative control: MDA-MB-231 (PMID: 18433506).



Flow Cytometry - Anti-CD24 antibody [ML5] (ab278509)

CD24 Flow Cytometry staining using mouse Anti-CD24 antibody

Flow cytometric analysis of MDA-MB-231 (Human breast adenocarcinoma epithelial cells) (Left panel) and MCF7 (Human breast adenocarcinoma epithelial cells) (Right panel) cells labelling CD24 with ab278509 at 1/1000 dilution (0.1µg) (Red) compared with a isotype control (Black) and an unlabelled control (cells without incubation with primary antibody and secondary antibody) (Blue). Goat anti mouse IgG (Alexa Fluor® 488, ab150113) at 1/2000 dilution was used as the secondary antibody.
Negative control: MDA-MB-231 (PMID: 18433506).

Gated on viable cells.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.