abcam

ab278625

Anti-Hsp27 (phospho S82) antibody [HSP27S82-CB2]

Recombinant | 20ul selling size

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	Preservative: 0.02% Sodium azide Constituents: PBS, 50% Glycerol (glycerin, glycerine), 0.1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	Synthetic Peptide within Human HSPB1 pS82. The exact immunogen used to generate this antibody is proprietary information. Database link P04792
Clone number	HSP27S82-CB2
Purification technique	Affinity purification Protein A/G
Light chain type	kappa

Reactivity data

Flow Cyt

Tested

Species	Human
Dilution info	0.001-1 µg/mL
Notes	-

WB

Tested

Species	Human
Dilution info	0.005 µg/mL
Notes	-

Target data

See full target information HSPB1 pS82

Function	Small heat shock protein which functions as a molecular chaperone probably maintaining denatured proteins in a folding-competent state (PubMed:10383393, PubMed:20178975). Plays a role in stress resistance and actin organization (PubMed:19166925). Through its molecular chaperone activity may regulate numerous biological processes including the phosphorylation and the axonal transport of neurofilament proteins (PubMed:23728742).

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	Hsp27 also known as HSPB1 is a small heat shock protein with a molecular weight of approximately 27 kilodaltons. This protein is expressed in various tissues including muscle heart and brain. It functions as a molecular chaperone that stabilizes unfolded proteins preventing their aggregation. Hsp27 undergoes phosphorylation at specific residues which modulates its chaperone activity and interaction with other proteins.
Biological function summary	Hsp27 plays a critical role in cellular stress response by regulating actin cytoskeleton dynamics and inhibiting apoptosis. It forms part of a complex that includes other proteins such as alphaB-crystallin. This complex facilitates the reorganization of proteins under stress conditions enhancing cell survival during oxidative stress or thermal shock. Hsp27 also modulates inflammatory responses and has been shown to affect cell migration.
Pathways	Hsp27 integrates into the apoptosis and inflammation pathways. It interacts with apoptotic machinery such as caspase proteins to protect cells by hindering apoptosome formation. Additionally Hsp27 can engage with pathways involving the nuclear factor-kappa B (NF-kB) impacting inflammatory signaling. CPTC (carboxyl-pyrene-trioctylamine) can modulate these pathways by altering Hsp27 function and interactions.
Associated diseases and disorders	Hsp27 has connections to neurodegenerative diseases and cancer. In neurodegenerative conditions such as Alzheimer's disease its chaperone activity is thought to protect neurons from misfolded protein aggregates. In cancer Hsp27 supports tumor cell survival and resistance to chemotherapy by interacting with proteins like Akt and p53. These interactions highlight the complex role of Hsp27 in modulating cellular responses in various pathological states.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

2 product images




	$WELLID	Treatment	Median : BL1-A
	CB2 10 NP	UV TPA	9395
	CB2 10 NP	CTRL	5673
	CB2 10 PP	UV TPA	1016
	CB2 10 PP	CTRL	536
	CB2 10	UV TPA	9316
	CB2 10	CTRL	3783
	2'Ab	CTRL	571

Flow Cytometry - Anti-Hsp27 (phospho S82) antibody [HSP27S82-CB2] (ab278625)

Hsp27 (phospho S82) Flow Cytometry staining using rabbit Anti-Hsp27 (phospho S82) antibody

Peptide blocking flow cytometric analysis of HeLa cells unstained and untreated as negative control (light blue) or stained and untreated (red) or treated with UV+ plus TPA (green) or untreated and blocked with phospho-peptide (black) or UV plus TPA blocked with phospho peptide (gold) or untreated and blocked with non-phospho peptide (dark blue) or UV plus TPA and blocked with non-phospho peptide (purple) using Phospho-HSP27 (Ser82) antibody ab278625 at 10 µg/mL.



Flow Cytometry - Anti-Hsp27 (phospho S82) antibody [HSP27S82-CB2] (ab278625)

Hsp27 (phospho S82) Flow Cytometry staining using rabbit Anti-Hsp27 (phospho S82) antibody

Flow cytometric analysis of HeLa cells unstained and untreated cells as as negative control (blue) or untreated (red) or treated with UV and TPA (green) using ab278625 at 1.0 ng/mL.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.