abcam

ab281333

Alexa Fluor® 647 Anti-IL3RA/CD123 antibody [EPR24481-20]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Conjugation	Alexa Fluor® 647
Excitation/Emission	Ex: 650nm, Em: 665nm
Storage buffer	pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR24481-20
Purification technique	Affinity purification Protein A
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

ICC/IF

Tested

Species	Human
Dilution info	5 µg/mL
Notes	This product gave a positive signal in THP-1 fixed with 4% formaldehyde (10 min) and 100% methanol (5 min).

Flow Cyt

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

IHC-P

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

Target data

See full target information IL3RA

Function	Cell surface receptor for IL3 expressed on hematopoietic progenitor cells, monocytes and B-lymphocytes that controls the production and differentiation of hematopoietic progenitor cells into lineage-restricted cells (PubMed:10527461). Ligand stimulation rapidly induces hetrodimerization with IL3RB, phosphorylation and enzyme activity of effector proteins such as JAK2 and PI3K that play a role in signaling cell proliferation and differentiation. Activation of JAK2 leads to STAT5-mediated transcriptional program (By similarity).

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks

Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle, Store in the dark

Notes

This antibody clone is manufactured by Abcam. If you require a custom buffer formulation or conjugation for your experiments, please contact orders@abcam.com.

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	IL3RA also known as CD123 or interleukin-3 receptor alpha chain is a transmembrane protein with a molecular weight of approximately 70-80 kDa. This protein frequently expresses on the surface of hematopoietic cells particularly those of myeloid lineage including mast cells and basophils. Researchers use

	CD123 as a marker for identifying certain cell types in flow cytometry. Antibodies such as anti-CD123 are available for various applications including identifying these cells in research and clinical settings.
Biological function summary	IL3RA forms part of a heterodimeric receptor complex binding with the beta-common (βc) chain to create the high-affinity IL-3 receptor. This complex plays a role in mediating the effects of interleukin-3 a cytokine that promotes the growth and differentiation of pluripotent hematopoietic stem cells. Through this mechanism the receptor influences immune response modulation particularly in allergic reactions and inflammation.
Pathways	IL3RA interacts with the JAK/STAT pathway which is essential for signal transduction and transcription activation in response to IL-3 binding. This pathway involves proteins like Janus kinase 2 (JAK2) and Signal Transducer and Activator of Transcription 5 (STAT5) which transmit signals from IL3RA engagement to the cell nucleus promoting gene expression associated with cell proliferation and survival.
Associated diseases and disorders	IL3RA expression relates closely to certain hematological conditions such as acute myeloid leukemia (AML) and systemic mastocytosis. In AML increased expression of CD123 marks leukemic cells making it a target for therapeutic intervention. The interaction of IL3RA with FLT3 another tyrosine kinase is of particular interest in these disorders as both proteins contribute to the proliferation of malignant cells through related signaling pathways.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-IL3RA/CD123 antibody [EPR24481-20] (ab281333)

IL3RA/CD123 Immunocytochemistry/ Immunofluorescence staining using rabbit Anti-IL3RA/CD123 antibody

ab281333 staining IL3RA/CD123 in THP-1 cells, with negative expression in K562 cells. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab281333 at 5 µg/ml (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at 2 µg/ml (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).
Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in THP-1 cells fixed with 100% methanol (5 min).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.