abcam

ab286828

Alexa Fluor® 647 Anti-CD83 antibody [EPR23809-19]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Conjugation	Alexa Fluor® 647
Excitation/Emission	Ex: 650nm, Em: 665nm
Storage buffer	pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR23809-19
Purification technique	Affinity purification Protein A
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

IHC-P

Tested

Species	Human
Dilution info	-
Notes	-

Flow Cyt

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

Target data

See full target information CD83

Function	Transmembrane glycoprotein predominantly found on the surface of many immune cells including dendritic cells or lymphocytes that plays various roles in immune response regulation. Plays an essential role in CD4(+) T-selection, differentiation and stability by regulating the activity of the major E3 ubiquitin ligase responsible for controlling MHCII trafficking MARCHF8. Also inhibits MARCHF1 association with MHCII or CD86 to prevent their ubiquitination and subsequent degradation (PubMed:21220452). In addition, acts as an important modulator of protective responses against acute infections (By similarity).

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle, Store in the dark

Notes

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Want a custom formulation?
This antibody clone is manufactured by Abcam. If you require a custom buffer formulation or conjugation for your experiments, please contact orders@abcam.com

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	CD83 also known as 3D11 in some contexts is a protein with important roles in the immune system. The CD83 protein is a glycoprotein with a molecular mass of approximately 45 kDa. It is expressed in various immune cells including dendritic cells B cells thymic epithelial cells and activated T cells. CD83 acts as a surface marker during the maturation and activation of these cells. This characteristic makes it a useful marker in immunological studies often referred to by scientists as the CD83 marker.
Biological function summary	The primary role of CD83 involves the regulation of immune responses. It functions by modulating the activity and communication of immune cells especially impacting the antigen-presenting capabilities of dendritic cells. CD83 also plays a role in promoting the maturation of these cells and influencing T-cell responses. Although CD83 is not generally recognized as a part of a complex its interactions with other cell surface molecules are significant for immune system function.

Pathways	CD83 has notable involvement in immune signaling pathways including the NF-kB and JAK/STAT pathways. These pathways are critical for transmitting signals that influence cell survival proliferation and activation. Through these pathways CD83 interacts with proteins such as cytokines and growth factors which further modulate their effects on immune cells and their responses.
Associated diseases and disorders	Understanding CD83's role provides insights into conditions like autoimmune diseases and immune deficiencies. In autoimmune diseases irregular expression or function of CD83 can disrupt normal immune response contributing to pathogenesis. Its relationship with other proteins such as CD28 in T-cell activation underlies its involvement in disorders characterized by immune dysregulation. Furthermore CD83 expression profiles may help decipher cancer immune evasion mechanisms providing possible therapeutic targets.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Alexa Fluor® 647 Anti-CD83 antibody [EPR23809-19] (ab286828)

CD83 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining using rabbit Anti-CD83 antibody

Immunofluorescence staining of CD83 staining in a section of formalin-fixed paraffin-embedded human normal tonsil*.
Performed on a Leica BOND. The section was pre-treated using heat mediated antigen retrieval with EDTA (pH 9.0) using retrieval settings of 110°C for 40 minutes. The section was then incubated at room temperature for 1 hour with ab286828 at 1/50 dilution (shown in red) and counterstained using ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at 1/250 dilution (shown in green). Nuclear DNA was labelled with DAPI (shown in blue). The section was then mounted using Dako Fluorescence Mounting Medium®.

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

For other IHC staining systems (automated and non-automated), customers should optimize variable parameters such as antigen retrieval conditions, antibody concentrations and incubation times.

*Tissue obtained from the Human Research Tissue Bank, supported by the NIHR Cambridge Biomedical Research Centre.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.