abcam

ab307342

Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Conjugation	Alexa Fluor® 555
Excitation/Emission	Ex: 555nm, Em: 565nm
Storage buffer	pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR24485-19
Purification technique	Affinity purification Protein A
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

IHC-P

Tested

Species	Human

Dilution info	1/100
Notes	-

ICC/IF

Tested

Species	Human
Dilution info	1/50
Notes	-

Flow Cyt (Intra)

Tested

Species	Human
Dilution info	1/500
Notes	-

Flow Cyt

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

Target data

See full target information MX1

Function

Interferon-induced dynamin-like GTPase with antiviral activity against a wide range of RNA viruses and some DNA viruses. Its target viruses include negative-stranded RNA viruses and HBV through binding and inactivation of their ribonucleocapsid. May also antagonize reoviridae and asfarviridae replication. Inhibits thogoto virus (THOV) replication by preventing the nuclear import of viral nucleocapsids. Inhibits La Crosse virus (LACV) replication by sequestering viral nucleoprotein in perinuclear complexes, preventing genome amplification, budding, and egress. Inhibits influenza A virus (IAV) replication by decreasing or delaying NP synthesis and by blocking endocytic traffic of incoming virus particles. Enhances ER stress-

mediated cell death after influenza virus infection. May regulate the calcium channel activity of TRPCs.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle, Store in the dark

Notes

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended

We do not recommend this combination. It is not covered by our product promise.


We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

---


8 product images



Flow Cytometry (Intracellular) - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Flow Cytometry (Intracellular) staining of Daudi (human Burkitt's lymphoma lymphoblast) cells using rabbit Anti-MX1 antibody

Flow cytometric analysis of 4% paraformaldehyde fixed 90% methanol permeabilized Daudi (Human Burkitt's lymphoma lymphoblast) cells treated with 20 U/ml IFN alpha 1 for 24 hours (Red) / Untreated control (Green) cells labelling MX1 with ab307342 at 1/500 dilution (0.1ug) (Red) and Green (Red) compared with a Rabbit IgG monoclonal [EPR25A] - Isotype Control (Alexa Fluor® 555) (ab208569) (Black) isotype control and an unlabelled control (cells without incubation with primary antibody and secondary antibody) (Blue). A at 1/ was used as the secondary antibody.




Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Immunocytochemistry/ Immunofluorescence staining of Daudi (human Burkitt's lymphoma lymphoblast) cells using rabbit Anti-MX1 antibody

Immunofluorescent analysis of 4% Paraformaldehyde-fixed, 0.1% TritonX-100 permeabilized Daudi (human Burkitt's lymphoma lymphoblast) cells labelling MX1 with ab307342 at 1/50 (10.0


ug/ml) dilution, followed by antibody at 1/None dilution (Green). Confocal image showing cytoplasmic staining in Daudi cells treatment with interferon alpha 1 (20 U/ml) for 24 h. Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8). is observed. ab195887 Anti-alpha Tubulin mouse monoclonal antibody - Microtubule Marker (Alexa Fluor® 488) was used to counterstain tubulin at 1/200 2.5ug/ml dilution (Red). The Nuclear counterstain was DAPI (Blue).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining of Human breast carcinoma using rabbit Anti-MX1 antibody


Immunohistochemical analysis of paraffin-embedded Human breast carcino tissue labeling MX1 with ab307342 at 1/100 (5.0 ug/ml) followed by a at dilution. Positive staining on human breast carcinoma.The section was incubated with ab307342 at 4°C overnight (shown in red). Nuclear DNA was labelled with DAPI (shown in blue). The section was then mounted using Fluoromount®.Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8). Heat mediated antigen retrieval was performed using ab93684 (Tris/EDTA buffer, pH 9.0)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining of Human tonsil using rabbit Anti-MX1 antibody


Immunohistochemical analysis of paraffin-embedded Human tonsil tissue labeling MX1 with ab307342 at 1/100 (5.0 ug/ml) followed by a at dilution. Positive staining on human tonsil.The section was incubated with ab307342 at 4°C overnight (shown in red). Nuclear DNA was labelled with DAPI (shown in blue). The section was then mounted using Fluoromount®.Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8). Heat mediated antigen retrieval was performed using ab93684 (Tris/EDTA buffer, pH 9.0)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining of Human tonsil using rabbit Anti-MX1 antibody


Positive staining on human tonsil with ab307342 at 1/100 dilution. Heat mediated antigen retrieval was performed using ab93684 (Tris/EDTA buffer, pH 9.0). The section was incubated with ab307342 at 4°C overnight (shown in red). Nuclear DNA was labelled with DAPI (shown in blue). The section was then mounted using Fluoromount®. Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) staining of human breast carcinoma using rabbit Anti-MX1 antibody


Positive staining on human breast carcinoma with ab307342 at 1/100 dilution. Heat mediated antigen retrieval was performed using ab93684 (Tris/EDTA buffer, pH 9.0). The section was incubated with ab307342 at 4°C overnight (shown in red). Nuclear DNA was labelled with DAPI (shown in blue). The section was then mounted using Fluoromount®. Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Flow Cytometry (Intracellular) - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Flow Cytometry (Intracellular) staining of Daudi (Human Burkitt's lymphoma lymphoblast) using rabbit Anti-MX1 antibody

Flow cytometric analysis of 4% paraformaldehyde fixed 90% methanol permeabilized Daudi (Human Burkitt's lymphoma lymphoblast) treated with 20 U/ml IFN alpha 1 for 24 hours (Red) / Untreated control (Green) cells labelling MX1 with ab307342 at 1/500 dilution (0.1ug) compared with a Rabbit IgG monoclonal [EPR25A] - Isotype Control (Alexa Fluor® 555) (ab208569) (Black) isotype control and an unlabelled control (cells without incubation with primary antibody and secondary antibody) (Blue).



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 555 Anti-MX1 antibody [EPR24485-19] (ab307342)

MX1 Immunocytochemistry/ Immunofluorescence staining of Daudi (human Burkitt's lymphoma lymphoblast) using rabbit Anti-MX1 antibody

Immunofluorescent analysis of 4% Paraformaldehyde-fixed, 0.1% TritonX-100 permeabilized Daudi (human Burkitt's lymphoma lymphoblast) cells labelling MX1 with ab307342 at 1/50 (10.0 ug/ml) dilution (Green). Confocal image showing cytoplasmic staining in Daudi cells treatment with interferon alpha 1 (20 U/ml) for 24 h.Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8). ab195887 Anti-alpha Tubulin mouse monoclonal antibody - Microtubule Marker (Alexa Fluor® 488) was used to counterstain tubulin at 1/200 2.5ug/ml dilution (Red). The Nuclear counterstain was DAPI (Blue).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.