abcam

ab315847

Alexa Fluor® 488 Anti-CD52 antibody [EPR23855-41]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Conjugation	Alexa Fluor® 488
Excitation/Emission	Ex: 495nm, Em: 519nm
Storage buffer	pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR23855-41
Purification technique	Affinity purification Protein A
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

Flow Cyt

Tested

Species	Human
Dilution info	1/50
Notes	-

Target data

See full target information CD52

Function	May play a role in carrying and orienting carbohydrate, as well as having a more specific role.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle, Store in the dark

Notes

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	CD52 also known as Campath-1 antigen is a glycoprotein that weighs approximately 12 kDa. It is mainly expressed on the surface of lymphocytes monocytes macrophages and some epithelial cells. This protein is also present on T and B cells making it a reliable marker for these immune cells. CD52's role is primarily in cell adhesion and signaling. The anti-CD52 antibody alemtuzumab targets this antigen specifically indicating its utility in clinical applications.
Biological function summary	CD52 plays an essential role in immune response regulation. It is not part of a larger protein complex but interacts dynamically with cell membranes to mediate immune cell activity. By acting as a co-stimulatory molecule for T cells CD52 influences lymphocyte activation and proliferation. This activity becomes significant in modulating immune responses showcasing its importance in immunological pathways.
Pathways	CD52 heavily influences T cell receptor signaling and cytokine production pathways. It interacts with proteins in these pathways to facilitate effective immune surveillance and response. CD52's engagement in these pathways highlights its collaboration with proteins such as CD3 and CD28 which assist in T cell activation and adaptive immunity. Such interactions highlight CD52's role in maintaining immune homeostasis.
Associated diseases and disorders	CD52 has substantial relevance in autoimmune diseases and hematological cancers. Multiple sclerosis is one such autoimmune disorder where aberrant CD52 activity affects disease progression. Alemtuzumab an anti-CD52 monoclonal antibody is often used in treatment emphasizing CD52's clinical significance. In hematological malignancies like chronic lymphocytic leukemia CD52 facilitates abnormal lymphocyte survival and proliferation. CD52's interplay with other cell surface proteins such as CD19 further delineates its role in disease pathology and targeting strategies.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Flow Cytometry - Alexa Fluor® 488 Anti-CD52 antibody [EPR23855-41] (ab315847)

Flow cytometric analysis of Human PBMC(human peripheral blood mononuclear cell) cells labelling CD52 with ab315847 at 1/50 dilution (1 ug)/Right compared with a Rabbit IgG monoclonal [EPR25A] - Isotype Control (Alexa Fluor® 488) (ab199091) / Left isotype control.

human PBMC are co-stained with CD3 conjugated Alexa Fluor®647.Gated on viable cell.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.