abcam

ab317757

Alexa Fluor® 488 Anti-Eph receptor B4/HTK antibody [EPR23222-2]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Conjugation	Alexa Fluor® 488
Excitation/Emission	Ex: 495nm, Em: 519nm
Storage buffer	pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR23222-2
Purification technique	Affinity purification Protein A
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

ICC/IF

Tested

Species	Human
Dilution info	1/50
Notes	-

Flow Cyt

Expected

Species	Human
Dilution info	Use at an assay dependent concentration.
Notes	-

Target data

See full target information EPHB4

Function	Receptor tyrosine kinase which binds promiscuously transmembrane ephrin-B family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. Together with its cognate ligand/functional ligand EFNB2 it is involved in the regulation of cell adhesion and migration, and plays a central role in heart morphogenesis, angiogenesis and blood vessel remodeling and permeability. EPHB4-mediated forward signaling controls cellular repulsion and segregation from EFNB2-expressing cells.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle, Store in the dark

Notes

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	The Eph receptor B4 also known as EphB4 or HTK is a protein belonging to the Ephrin receptor subfamily of receptor tyrosine kinases. The receptor has a molecular weight of about 120 kDa. EphB4 typically interacts with its binding partner ephrin-B2 facilitating bidirectional signaling. These complexes reside in the cell membrane and are mainly found in vascular endothelial cells and various tissues including the heart lungs and skin. Notably this receptor plays a role in cellular processes like cell migration and adhesion.
Biological function summary	The Eph receptor B4 is a significant regulator of angiogenesis and vascular development. It forms a critical component of a signaling complex that also includes ephrin-B2. During embryonic development EphB4's interaction with ephrin-B2 guides the proper formation and organization of blood vessels. In adult organisms it remains active in maintaining vascular homeostasis. Additionally this receptor impacts neuronal development and repair through modulating axon guidance and synaptic plasticity.
Pathways	EphB4 engages in various cellular signaling cascades. It features prominently within pathways governing angiogenesis and cell adhesion. EphB4 acts as a

	central player in the VEGF signaling pathway modulating endothelial cell behavior. The protein's pathways frequently intersect with other proteins such as FAK and Src influencing cell motility and morphology. Furthermore in the ephrin receptor pathway it cross-talks with other Eph receptors like EphA4 assisting in diverse biological functions.
Associated diseases and disorders	Abnormal Eph receptor B4 activity associates with several pathological conditions. Dysregulation often links to cancer due to its role in neovascularization and tumor progression. Overexpression of EphB4 in tumors like breast and colorectal cancer suggests a contribution to malignancy by supporting angiogenesis and tumor growth. In vascular disorders impaired EphB4-ephrin-B2 signaling may lead to defects in blood vessel formation. Additionally alterations in this receptor are observed in neurological diseases such as Alzheimer's where EphB4 interacts with tau protein-modifying vascular and neuronal deficiencies.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Eph receptor B4/HTK antibody [EPR23222-2] (ab317757)

Immunofluorescent analysis of 100% methanol-fixed, 0.1% TritonX-100 permeabilized MCF7 (human breast adenocarcinoma epithelial cell) cells labelling Eph receptor B4/HTK with ab317757 at 1/50 (10.0 ug/ml) dilution (Green).

Confocal image showing membranous staining in MCF-7 cell line (shown in green). The counterstain was observed in magenta. Nuclear DNA was labeled with DAPI (shown in blue). Negative control: 786-O (PMID: 34399807).
Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

ab195889 Anti-alpha Tubulin mouse monoclonal antibody - Microtubule Marker (Alexa Fluor® 594) was used to counterstain tubulin at 1/200 2.5ug/ml dilution (Magenta). The Nuclear counterstain was DAPI (Blue).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.