abcam

ab319125

Alexa Fluor® 488 Anti-ENPP3/B10 antibody [EPR27349-72]

Recombinant | RabMAb

Key facts

Isotype	IgG
Host species	Rabbit
Conjugation	Alexa Fluor® 488
Excitation/Emission	Ex: 495nm, Em: 519nm
Storage buffer	pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA
Form	Liquid
Clonality	Monoclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Clone number	EPR27349-72
Purification technique	Affinity purification Protein A
Specificity	This antibody doesn't cross-react with human ENPP1 and ENPP2.
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

Flow Cyt

Tested

Species	Transfected cell line - Human
Dilution info	1/50
Notes	-

Species	Human
Dilution info	1/50
Notes	-

Target data

See full target information ENPP3

Function

Hydrolase that metabolizes extracellular nucleotides, including ATP, GTP, UTP and CTP (PubMed:29717535, PubMed:9344668). Also hydrolyzes extracellular 2',3'-cGAMP (cyclic GMP-AMP), a second messenger that activates TMEM173/STING and triggers type-I interferon production, and is therefore involved in the regulation of innate immune response (PubMed:38749434). 2',3'-cGAMP appears to be further processed to GMP, AMP and inorganic phosphate (PubMed:38749434). Limits mast cells and basophils response during inflammation and during the chronic phases of allergic responses by eliminating extracellular ATP, a signaling molecule activating these cells in an autocrine manner. Metabolizes extracellular ATP in the lumen of the small intestine, and thereby prevents ATP-induced apoptosis of intestinal plasmacytoid dendritic cells (By similarity). Has a broad specificity and can also hydrolyze UDP-GlcNAc into UMP and GlcNAc-1-phosphate and potentially several other intracellular nucleotide sugars, including UDP-GalNAc, CMP-NeuAc, GDP-Fuc, and UDP-GlcA. Thereby, could modulate glycan biosynthesis and protein glycosylation (By similarity). Can hydrolyze extracellular dinucleoside polyphosphates, including the vasoactive adenosine polyphosphates as well (PubMed:12846830). In addition, displays an alkaline phosphodiesterase activity in vitro (PubMed:11342463).

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot

Storage information	Avoid freeze / thaw cycle, Store in the dark

Notes

Patented technology
Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

What are the advantages of a recombinant monoclonal antibody?
This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free batch production

For more information, read more on recombinant antibodies.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	The ENPP3/B10 protein also known as Ectonucleotide Pyrophosphatase/Phosphodiesterase 3 is an enzyme that plays a role in nucleotide metabolism by hydrolyzing phosphodiester and phosphosulfate bonds. This protein has a molecular mass of around 100 kDa. ENPP3 is mainly expressed on the surface of epithelial cells and you find it in tissues like the kidney liver and lung. In some contexts immune cells such as mast cells also show its expression.
Biological function summary	ENPP3 regulates the availability of extracellular nucleotides and phosphate metabolites. It is not typically considered part of a larger complex and rather contributes to various processes independently. By modulating concentrations of these extracellular molecules ENPP3 impacts cell signaling and nucleotide homeostasis which can affect cell proliferation and differentiation.
Pathways	This enzyme engages in the purinergic signaling pathway and can influence the MAPK/ERK pathway. Through its enzymatic action on nucleotides ENPP3 helps

	regulate signaling molecules which participate in processes such as cell growth and immune responses. Proteins related to these pathways include ATP-binding proteins like P2Y receptors and kinases involved in MAPK/ERK signaling.
Associated diseases and disorders	ENPP3's function links it to conditions such as allergy and asthma as its expression on mast cells affects histamine release. Changes in its activity are also noted in certain cancers where its role in signaling pathways can contribute to uncontrolled cell proliferation. In these disease contexts the protein interacts with other signaling molecules like cytokine receptors and oncogenic proteins which can modulate or exacerbate disease progression.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

2 product images




Flow Cytometry - Alexa Fluor® 488 Anti-ENPP3/B10 antibody [EPR27349-72] (ab319125)

ENPP3/B10 Flow Cytometry staining using rabbit Anti-ENPP3/B10 antibody

Flow cytometric analysis of Isotype (Left) / HEK-293T (human embryonic kidney epithelial cell) transfected with Myc-tagged ENPP3 overexpression construct (Middle) / 293T transfected with an empty vector containing a myc-His tag (Right) cells labelling ENPP3/B10 with ab319125 at 1/50 dilution (1ug) / Middle and Right compared with a Rabbit IgG monoclonal [EPR25A] - Isotype

Control (Alexa Fluor® 488) (ab199091) / Left isotype control and an unlabelled control (cells without incubation with primary antibody) (Blue).

Cells were co-stained with anti-myc conjugated to Alexa Fluor 647.
Gated on viable cells.



Flow Cytometry - Alexa Fluor® 488 Anti-ENPP3/B10 antibody [EPR27349-72] (ab319125)

Flow cytometric analysis of 293T (human embryonic kidney epithelial cell, Left) / KU812 (human Peripheral blood basophil, Right) cells labelling ENPP3/B10 with ab319125 at 1/50 dilution (1ug)compared with a Rabbit IgG monoclonal [EPR25A] - Isotype Control (Alexa Fluor® 488) (ab199091) (Black) isotype control and an unlabelled control (cells without incubation with primary antibody) (Blue).

Negative control: 293T (PMID: 11342463).
Gated on viable cells.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.