abcam

ab34719

Anti-TNF alpha antibody [MP6-XT22] - BSA and Azide free

Key facts

Isotype	IgG1
Host species	Rat
Storage buffer	pH: 7.4 Constituents: PBS
Form	Liquid
Clonality	Monoclonal
Immunogen	Recombinant Full Length Protein corresponding to Mouse Tnf. Database link P06804
Carrier free	Yes
Clone number	MP6-XT22
Purification technique	Affinity purification Protein G
Concentration	1 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →
Purification notes	This antibody was purified from tissue culture supernatant.

Reactivity data

Flow Cyt

Expected

Species	Mouse
Dilution info	-

Notes	Use 10ul of the suggested working dilution to label 10^6 cells in 100ul. Membrane permeabilisation is required for this application. ab18407 - Rat monoclonal IgG1, is suitable for use as an isotype control with this antibody.

ELISA

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

FuncS (Neut/Block)

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

IHC-Fr

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

Target data

See full target information Tnf

Function	Cytokine that binds to TNFRSF1A/TNFR1 and TNFRSF1B/TNFBR. It is mainly secreted by macrophages and can induce cell death of certain tumor cell lines. It is potent pyrogen causing fever by direct action or by stimulation of interleukin-1 secretion and is implicated in the induction of cachexia, Under certain conditions it can stimulate cell proliferation and induce cell differentiation (By similarity). Induces insulin resistance in adipocytes via inhibition of insulin-induced IRS1 tyrosine phosphorylation and insulin-induced glucose uptake. Induces GKAP42 protein degradation in adipocytes which is partially responsible for TNF-induced insulin resistance (PubMed:25586176). Plays a role in angiogenesis by inducing

VEGF production synergistically with IL1B and IL6 (By similarity). Promotes osteoclastogenesis and therefore mediates bone resorption (PubMed:32741026). The TNF intracellular domain (ICD) form induces IL12 production in dendritic cells.

Storage

Shipped at conditions	Blue Ice
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

This clone (MP6-XT22) is reported to neutralise the effects of mouse TNF alpha.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended

We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.