abcam

ab80892

Anti-Nanog antibody

Anti-Nanog antibody (ab80892) is a rabbit polyclonal antibody detecting Nanog in **Western Blot, Flow Cytometry, IHC-P, IHC- Wmt, ICC/IF**. Suitable for **Mouse**.

- Over 360 publications
- Trusted since 2009

Key facts

Isotype	IgG
Host species	Rabbit
Storage buffer	Preservative: 0.1% Sodium azide Constituents: PBS
Form	Liquid
Clonality	Polyclonal
Immunogen	The exact immunogen used to generate this antibody is proprietary information.
Purification technique	Affinity purification Immunogen
Concentration	0.2 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

ICC

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

Flow Cyt

Expected

Species	Mouse
Dilution info	-
Notes	ab171870 - Rabbit polyclonal IgG, is suitable for use as an isotype control with this antibody.

WB

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

IHC-P

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

ICC/IF

Expected

Species	Mouse
Dilution info	Use at an assay dependent concentration.
Notes	-

IHC - Wmt

Expected

Species	Mouse

Dilution info	Use at an assay dependent concentration.
Notes	-

Target data

See full target information Nanog

Function	Transcription regulator involved in inner cell mass and embryonic stem (ES) cells proliferation and self-renewal (PubMed:25825768). Imposes pluripotency on ES cells and prevents their differentiation towards extraembryonic endoderm and trophectoderm lineages. Blocks bone morphogenetic protein-induced mesoderm differentiation of ES cells by physically interacting with SMAD1 and interfering with the recruitment of coactivators to the active SMAD transcriptional complexes. Acts as a transcriptional activator or repressor. Binds optimally to the DNA consensus sequence 5'-TAAT[GT][GT]-3' or 5'-[CG][GA][CG]C[GC]ATTAN[GC]-3'. Binds to the POU5F1/OCT4 promoter (By similarity). Able to autorepress its expression in differentiating (ES) cells: binds to its own promoter following interaction with ZNF281/ZFP281, leading to recruitment of the NuRD complex and subsequent repression of expression. When overexpressed, promotes cells to enter into S phase and proliferation.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Aliquoting information	Upon delivery aliquot
Storage information	Avoid freeze / thaw cycle

Notes

What is this antibody validated in?
Anti-Nanog antibody (ab80892) is a rabbit polyclonal antibody and is validated for use in Western Blot (WB), Flow Cytometry (Flow Cyt), Immunohistochemistry (IHC-P), Immunohistochemistry (IHC - Wmt), Immunocytochemistry/immunofluorescence (ICC/IF) in Mouse samples.

Trusted by the scientific community
Anti-Nanog (ab80892) was first used in a scientific publication in 2009 and has been cited over 360 times in peer-reviewed journals.

Reviewed by scientists
Anti-Nanog (ab80892) has over 15 independent reviews from customers.

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	Nanog also known as Nanog homeobox is a transcription factor playing an important role in maintaining the pluripotency of embryonic stem cells. The molecular weight of Nanog is approximately 35 kDa. It is found mainly in the inner cell mass of the blastocyst but it also expresses in embryonic stem cells and some adult stem cell populations. Nanog acts by binding to DNA in a sequence-specific manner to regulate gene expression essential for stem cell self-renewal and pluripotency.
Biological function summary	Nanog plays a central role in stem cell biology operating as part of a complex regulatory network. Nanog interacts with other important transcription factors like Oct4 and Sox2 forming a core pluripotency network. This network suppresses the differentiation of stem cells by regulating the expression of genes involved in cell fate decisions. By modulating the expression of different pathways Nanog ensures the maintenance of an undifferentiated state in stem cells.
Pathways	Nanog is deeply embedded in the Wnt/B-Catenin and TGF-B signaling pathways important for stem cell maintenance and differentiation. In the Wnt/B-Catenin pathway Nanog works alongside proteins like B-catenin to drive the expression of genes that promote self-renewal. Meanwhile in the TGF-B pathway Nanog acts with proteins such as Smad2/3 to balance pluripotency and differentiation signals. These pathways critically support the complex network that sustains stem cell identity and function.
Associated diseases and disorders	Nanog's expression relates closely to its role in various cancers such as glioblastoma and colorectal cancer. Abnormally high levels of Nanog contribute to the tumorigenicity of cancer cells by maintaining their self-renewal and undifferentiated state similar to its role in stem cells. Nanog interacts with proteins like p53 known for its tumor suppressor functions often leading to challenges in cancer treatment. Understanding Nanog's influence in these pathways provides valuable insights into therapeutic targets for combating cancer stem cell resilience.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended

We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.