abcam

ab95681

Anti-CD116 antibody [4H1]

Key facts

Isotype	IgG1
Host species	Mouse
Storage buffer	pH: 7.2 Preservative: 0.09% Sodium azide Constituents: PBS, 0.87% Sodium chloride
Form	Liquid
Clonality	Monoclonal
Immunogen	Cell preparation containing CSF2RA protein. The exact immunogen used to generate this antibody is proprietary information. Database link P15509
Clone number	4H1
Purification technique	Affinity purification Protein G
Light chain type	kappa
Concentration	0.5 mg/mL The concentration of this product may be batch-dependent Batch concentration finder →

Reactivity data

Flow Cyt

Tested

Species	Human
Dilution info	-
Notes	Use primary antibody at 1 µg/test.

Target data

See full target information CSF2RA

Function	Low affinity receptor for granulocyte-macrophage colony-stimulating factor. Transduces a signal that results in the proliferation, differentiation, and functional activation of hematopoietic cells.

Storage

Shipped at conditions	Blue Ice
Appropriate short-term storage duration	1-2 weeks
Appropriate short-term storage conditions	+4°C
Appropriate long-term storage conditions	-20°C
Storage information	Avoid freeze / thaw cycle

Supplementary info

This supplementary information is collated from multiple sources and compiled automatically.

Activity summary	CD116 also known as the CSF2RA (colony-stimulating factor 2 receptor alpha subunit) is a protein that plays an important role in cytokine receptor signaling. It has a mass of approximately 43 kDa. This receptor is widely expressed on the surface of hematopoietic cells including monocytes granulocytes and some T-lymphocytes. Furthermore CD116 presents important interactions with cellular functioning by being part of a heterodimeric receptor complex. It couples with the beta subunit (CSF2RB) together mediating effects of granulocyte-macrophage colony-stimulating factor (GM-CSF).
Biological function summary	The CSF2RA is integral in facilitating cellular communication. It belongs to the cytokine receptor family specifically binding the GM-CSF. This molecule triggers signaling cascades that are essential for the proliferation differentiation and survival of various blood cells. When GM-CSF binds to the receptor complex made of CD116 and CSF2RB it activates downstream pathways influencing these critical processes thereby ensuring proper bone marrow function and immune cell activity.
Pathways	CD116 participates in significant signal transduction cascades. It is involved in the JAK-STAT pathway which plays an important role in regulating immune responses and hematopoiesis. The engagement of GM-CSF with CD116 triggers the activation of JAK kinases followed by STAT protein phosphorylation. Another pathway linked with CD116 is the MAPK pathway which further mediates downstream signals that

	modulate cellular growth and differentiation integrating input from various activating signals.
Associated diseases and disorders	Abnormalities in CD116 expression and function associate with several health conditions. One example is chronic myelomonocytic leukemia (CMML) where deregulated signaling through the GM-CSF receptor impacts cell proliferation and differentiation. Aberrant CD116 activity also ties into inflammation and autoimmune disorders such as rheumatoid arthritis where overactive signaling can worsen inflammatory responses. Proteins like GM-CSF and its beta receptor subunit CSF2RB accompany these disorders by contributing to the pathway dysregulation observed in these disease states.

Product promise

Tested

We have tested this species and application combination and it works. It is covered by our product promise.

Expected

We have not tested this specific species and application combination in-house, but expect it will work. It is covered by our product promise.

Predicted

This species and application combination has not been tested, but we predict it will work based on strong homology. However, this combination is not covered by our product promise.

Not recommended


We do not recommend this combination. It is not covered by our product promise.

We are dedicated to supporting your work with high quality reagents and we are here for you every step of the way should you need us.

In the unlikely event of one of our products not working as expected, you are covered by our product promise.

Full details and terms and conditions can be found here:
Terms & Conditions.

1 product image



Flow Cytometry - Anti-CD116 antibody [4H1] (ab95681)

CD116 Flow Cytometry staining using mouse Anti-CD116 antibody

Flow cytometry analysis of normal human peripheral blood cells labeling CD116 with ab95681 at 1 µg/test. Anti-CD116 FITC (left) and PE (right). Appropriate isotype controls were used (open histogram). Cells in the monocyte population were used for analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.