

Product datasheet

EasyLink Cy5® Conjugation Kit (1 x 1mg Cy5®)
ab102875

1 Image

Overview

Product name EasyLink Cy5® Conjugation Kit (1 x 1mg Cy5®)

Product overview **EasyLink Cy5 Conjugation Kit** provides a simple and quick process to conjugate your primary antibodies with Cy5. Cy5 is a red fluorescent dye which has an excitation wavelength of 647nm and an emission wavelength of 665nm.

The conjugated antibody can be used straight away in WB, ELISA, IHC etc

Learn more about buffer compatibility, protein/secondary antibody conjugation and labelling chemistry in our [FAQs](#).

This kit is sufficient for 1 labeling reaction of **1-2mg** of antibody.

Notes **Pre-conjugation considerations**

The purified antibody to be labeled should ideally be in 10-50mM amine-free buffer (e.g. MES, MOPS, HEPES, PBS), pH range 6.5 to 8.5. If the buffer is more concentrated or outside this pH range contact the technical support team.

Common non-buffering salts (e.g. sodium chloride), chelating agents (e.g. EDTA), and sugars have no effect on conjugation efficiency. Azide (0.02 to 0.1%) and BSA (0.1 to 0.5%) have little or no effect. Glycerol up to 50% has no effect.

Avoid buffer components that are nucleophilic, as these may react with EasyLink chemicals. Primary amines (e.g. amino acids or ethanolamine) and thiols (e.g. mercaptoethanol or DTT) fall within this class (Note: Tris-based buffers should be avoided). If your buffer contains primary amines and/or thiols, you should consider using our Concentration and Purification Kits ([ab102778](#) or [ab102784](#)).

Recommended amount and volume of antibody for optimal results

Pack size	Amount of antibody	Volume of antibody
Up to 20 µg	10-20 µg	4-10 µl
Up to 200 µg	100-200 µg	40-100 µl
Up to 2 mg	1-2 mg	400-1000 µl

Antibody concentrations of 1-4 mg/ml generally give optimal results. For conditions outside the suggested ranges contact the technical support team.

Conjugation reaction

Before adding the antibody to the EasyLink mix, add 1 µl of EL-Modifier reagent to each 10 µl of antibody to be labelled. Mix gently.

Remove cap from vial of EasyLink mix and pipette the antibody sample (with added EL-Modifier) directly onto the lyophilized material. Resuspend gently by withdrawing and re-dispensing the liquid once or twice using a pipette.

Replace cap on the vial and leave standing in the dark at room temperature (20-25°C) for 3 hours. Conjugations can also be set up and left overnight; longer incubation times have no negative effect on the conjugate.

After incubating for 3 hours (or more), add 1 µl of EL-Quencher FD reagent for every 10 µl of antibody used and mix gently. The conjugate can be used after 30 minutes. The conjugates do not require purification.

Storage of conjugates

Storage at 4°C is recommended for any conjugate. A preservative may be desirable for long-term storage. Other storage conditions may also be satisfactory. The best conditions for any particular conjugate must be determined by experimentation.

Disclaimer

Labeling of the antibody will not work if the conjugation blocks the active paratope. This situation is rare.

This material is also subject to proprietary rights of GE Healthcare Bio-Sciences Corp. and Carnegie Mellon University and made and sold under License from GE Healthcare Bio-Sciences Corp. This product is licensed for sale only for research. It is NOT licensed for any other use. There is no implied license hereunder for any commercial use.

COMMERCIAL USE shall include:

1. Sale, lease, license or other transfer of the material or any material derived or produced from it.
2. Sale, lease, license or other grant of rights to use this material or any material derived or produced from it.
3. Use of this material to perform services for a fee for third parties.

If you require a commercial license to use this material and do not have one, please return this material, unopened to Abcam Plc of 330 Cambridge Science Park, Cambridge, CB4 0FL, and any money paid for the material will

Tested applications

Suitable for: Conjugation

Properties

Storage instructions

Store at -20°C. Please refer to protocols.

Components	
Quencher reagent	1 x 1vial
Modifier reagent	1 x 1vial
Cy5 mix	1 x 1vial

Applications


The Abpromise guarantee

Our [Abpromise guarantee](#) covers the use of ab102875 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Conjugation		Use at an assay dependent dilution.

Images



Conjugation - EasyLink Cy5® Conjugation Kit (1 x 1mg Cy5®) (ab102875)

This illustration demonstrates a general procedure and will slightly vary dependent on the conjugate used.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors